

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

CAT #: \_\_\_\_\_


## DESCRIPTION

**Flood, Integrated Variable - Standard Dimming, Aluminum, Deco Aluminum Series Floodlight (Includes 40° Optic)**

## SPECIFICATIONS

<b>Construction</b>	Aluminum
<b>Lead Wire</b>	6'
<b>Voltage</b>	10-15V
<b>Mounting</b>	LAP-002 (8" Stake)
<b>Light Warranty</b>	10 Years

## FINISHES



Black



Bronze

## NOTES

---

---

---

---


---

---

---

---

## F5A1



**Lumien Lighting**

☎ 770-485-9002  
 ✉ orders@lumienlighting.com  
 🌐 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

F5A1

+

CORE: F5A1

-	-	-	-
15W	2700K	40°	BK
8W	3000K		BZ

+

F5A1

+

PRO: F7A1

-	-	-	-
12W	2700-5700K	40°	BK
			BZ

+

F5A1

+

PRO: F9A1

-	-	-	-
12W	2700-5700K	40°	BK
			BZ

+

**Additional Mounts - Gutter Mount (Optional)**

- LAA-021** BZ Stainless Steel, Gutter Mount Bracket
- LAA-021-BK** BK Stainless Steel, Gutter Mount Bracket

**Additional Mounts - Ground (Optional)**

- LAS-002** Stainless Steel, Trident Stake, 12"
- LAS-002-6** Stainless Steel, Trident Stake, 6"
- LAS-003** Stainless Steel, 1/2" Threaded Mini Stake,
- LAP-001** Plastic, 1/2" Threaded 12" Spike
- LAP-005** Plastic, 1/2" Threaded 15" Commercial
- LAP-018** Plastic, 1/2" Threaded 8" Spike w/ ADJ

**Additional Mounts - Surface Mount (Optional)**

- LAA-001** BZ Aluminum, 1/2" Threaded Base
- LAA-001-BK** BK Aluminum, 1/2" Threaded Base
- LAA-002** BZ Aluminum, 1/2" Threaded J-Box
- LAA-002-BK** BK Aluminum, 1/2" Threaded J-Box

**Secondary Mounts - Risers (Optional)**

- LAA-008** BZ Aluminum, 1/2" ADJ 16-25" Riser
- LAA-008-BK** BK Aluminum, 1/2" ADJ 16-25" Riser
- LAA-020** BZ Aluminum, 1/2" Threaded 4" Riser
- LAA-020-BK** BK Aluminum, 1/2" Threaded 4" Riser
- LAA-005** BZ Aluminum, 1/2" Threaded 8" Riser
- LAA-005-BK** BK Aluminum, 1/2" Threaded 8" Riser
- LAA-006** BZ Aluminum, 1/2" Threaded 16" Riser
- LAA-006-BK** BK Aluminum, 1/2" Threaded 16" Riser
- LAA-007** BZ Aluminum, 1/2" Threaded 24" Riser
- LAA-007-BK** BK ALuminum, 1/2" Threaded 24" Riser

**Secondary Mounts - Riser Accessories (Optional)**

- LAA-003** BZ Aluminum, 1/2" Threaded L-Mount
- LAA-003-BK** BK Aluminum, 1/2" Threaded L-Mount
- LAA-004** BZ Aluminum, 1/2" Threaded T-Mount
- LAA-004-BK** BK Aluminum, 1/2" Threaded T-Mount

**Accessories - Lens (Optional)**

- LAA-022** BK Aluminum, Banded Hex Louver for

**Accessories - Pro Series (Optional)**

- LP-REMOTE** LumienPRO Remote




## MODULES

	<b>CORE</b>	<b>CORE</b>	<b>PRO</b>	<b>PRO</b>
	F5A1-8W-27K-BK F5A1-8W-27K-BZ F5A1-8W-30K-BK F5A1-8W-30K-BZ	F5A1-15W-27K-BK F5A1-15W-27K-BZ F5A1-15W-30K-BK F5A1-15W-30K-BZ	F7A1-12W-BK F7A1-12W-BZ	F9A1-12W-BK F9A1-12W-BZ
<b>Construction</b>	Aluminum	Aluminum	Aluminum	Aluminum
<b>Finish</b>	Black, Bronze	Black, Bronze	Black, Bronze	Black, Bronze
<b>Input Voltage</b>	10-15V	10-15V	10-15V	10-15V
<b>Wattage (Volt Amps)</b>	8W (8.79)	15W (16.12)	12W (17.2)	12W (17.27)
<b>Module Lumens</b>	600 Lm, 640 Lm	1000 Lm	670 Lm	511 Lm
<b>Color Temperature</b>	2700K, 3000K	2700K, 3000K	2700-5700K	2700-5700K
<b>Beam Spread</b>	40°	40°	40°	40°
<b>Lead Wire Length</b>	6'	6'	6'	6'
<b>CRI</b>	80+	80+	80+	80+
<b>RGB</b>	No	No	No	Yes
<b>Dimmable</b>	Primary Dimming	Primary Dimming	With LumienPRO Remote	With LumienPRO Remote
<b>Rated Life</b>	50,000 Hrs	50,000 Hrs	50,000 Hrs	50,000 Hrs
<b>Warranty</b>	10 Years	10 Years	10 Years	10 Years
<b>Core Drill Size</b>	-	-	-	-

**Additional Mounts - Gutter Mount****LAA-021**

Accessory, Stainless Steel -  
Bronze, Gutter Mount  
Bracket

**LAA-021-BK**

Accessory, Stainless Steel -  
Black, Gutter Mount  
Bracket

**Additional Mounts - Ground****LAS-002**

Accessory, Stainless Steel,  
Trident Stake, 12"

**LAS-002-6**

Accessory, Stainless Steel,  
Trident Stake, 6"

**LAS-003**


Accessory, Stainless Steel,  
1/2" Threaded Mini Stake, 6"

**LAP-001**

Accessory, Plastic, 1/2"  
Threaded 12" Spike

**LAP-005**

Accessory, Plastic, 1/2"  
Threaded 15" Commercial  
Spike

**LAP-018**

Accessory, Plastic, 1/2"  
Threaded 8" Spike with  
Adjustable Collar

**Additional Mounts - Surface Mount****LAA-001**

Accessory, Aluminum -  
Bronze, 1/2" Threaded Base

**LAA-001-BK**

Accessory, Aluminum -  
Black, 1/2" Threaded Base

**LAA-002**

Accessory, Aluminum -  
Bronze, 1/2" Threaded  
Junction Box

**LAA-002-BK**

Accessory, Aluminum -  
Black, 1/2" Threaded  
Junction Box

**Secondary Mounts - Risers**



**LAA-008**

Accessory, Aluminum - Bronze, 1/2" Adjustable 16-25" Riser



**LAA-008-BK**

Accessory, Aluminum - Black, 1/2" Adjustable 16-25" Riser



**LAA-020**

Accessory, Aluminum - Bronze, 1/2" Threaded 4" Riser

**LAA-020-BK**

Accessory, Aluminum - Black, 1/2" Threaded 4" Riser



**LAA-005**

Accessory, Aluminum - Bronze, 1/2" Threaded 8" Riser



**LAA-005-BK**

Accessory, Aluminum - Black, 1/2" Threaded 8" Riser



**LAA-006**

Accessory, Aluminum - Bronze, 1/2" Threaded 16" Riser


**LAA-006-BK**

Accessory, Aluminum - Black, 1/2" Threaded 16" Riser



**LAA-007**

Accessory, Aluminum - Bronze, 1/2" Threaded 24" Riser



**LAA-007-BK**

Accessory, Aluminum - Black, 1/2" Threaded 24" Riser

**Secondary Mounts - Riser Accessories**



**LAA-003**

Accessory, Aluminum - Bronze, 1/2" Threaded L-Mount



**LAA-003-BK**

Accessory, Aluminum - Black, 1/2" Threaded L-Mount



**LAA-004**

Accessory, Aluminum - Bronze, 1/2" Threaded T-Mount



**LAA-004-BK**

Accessory, Aluminum - Black, 1/2" Threaded T-Mount

**Accessories - Lens****LAA-022**

Accessory, Aluminum -  
Black, Banded Hex Louver  
for Deco Aluminum Series

**Accessories - Pro Series****LP-REMOTE**

LumienPRO Remote  
(Functionality determined  
by the Light Fixture)