

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

CAT #: \_\_\_\_\_

## DESCRIPTION

**Underwater, Integrated Modular, Brass - Raw, Micro Short Solid Shroud, 5.5W, 346 Lm, 3000K, 10-15V**

## SPECIFICATIONS

<b>Construction</b>	Brass
<b>Finish</b>	Raw
<b>Lead Wire</b>	30'
<b>Voltage</b>	10-15V
<b>Mounting</b>	Underwater Mount
<b>Light Warranty</b>	10 Years
<b>Housing Warranty</b>	Lifetime

## FINISHES

Raw

## NOTES

---

---

---

---


---

---

---

---

# M4B5-5.5W-30K-R



**Lumien Lighting**

☎ 770-485-9002  
 ✉ orders@lumienlighting.com  
 🌐 www.lumienlighting.com

Lumien Lighting reserves the right to modify product specifications without notification. © 2023 Lumien Enterprise Inc.

MODULE TYPE (required)	WATTS	COLOR TEMP	BEAM SPREAD	FINISH	ACCESSORIES
---------------------------	-------	---------------	----------------	--------	-------------

M4B5-5.5W-30K-R



CORE: M4B5



5.5W

2700K  
3000K

49°

R



**CORE****M4B5-5.5W-27K-R****M4B5-5.5W-30K-R**

<b>Construction</b>	Brass
<b>Finish</b>	Raw
<b>Input Voltage</b>	10-15V
<b>Wattage (Volt Amps)</b>	5.5W (8.66)
<b>Module Lumens</b>	346 Lm
<b>Color Temperature</b>	2700K, 3000K
<b>Beam Spread</b>	49°
<b>Lead Wire Length</b>	30'
<b>CRI</b>	80+
<b>RGB</b>	No
<b>Dimmable</b>	Primary Dimming
<b>Rated Life</b>	50,000 Hrs
<b>Warranty</b>	10 Years
<b>Core Drill Size</b>	-